







SURFBOARDS 2017 - 18



THE GHERKIN



LENGTH	WIDTH	THICK.	VOL.
4'6"	19"	2 1/16"	21.2L
4'7"	19 1/2"	2 5/16"	23.3L
4'8"	19 3/4"	2 3/8"	24.7L
4'9"	19 7/8"	2 3/8"	25.3L
4'10"	20"	2 7/16"	26.7L
4'11"	20 1/8"	2 7/16"	27.4L
5'0"	20 1/4"	2 1/2"	28.7L
5'1"	20 3/8"	2 1/2"	29.5L
5'2"	20 1/2"	2 1/2"	30.2L
5'3"	20 5/8"	2 9/16"	31.7L
5'4"	20 3/4"	2 5/8"	33.2L
5'5"	20 7/8"	2 5/8"	34L
5'6"	21"	2 11/16"	35.6L
5'7"	21 1/8"	2 3/4"	37.2L
5'8"	21 1/4"	2 3/4"	38L
5'9"	21 3/8"	2 3/4"	38.9L
5'10"	21 1/2"	2 7/8"	41.3L
5'11"	21 5/8"	2 7/8"	42.3L
6'0"	21 3/4"	3"	44.9L

THE GHERKIN MODEL

The Gherkin is a speedy little craft. Its short, wide and the rocker is super flat. The huge crown tail provides hold and speed through the turns. Use a quad fin set up for high line runs and projecting longer lines when required. The Gherkin can be surfed super short and will thrive on summer sessions that usually send you troppo.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		5 FCS FUTURES
TAIL		DEEP CROWN
SIZE GUIDE		ORDER 4 - 6" SHORTER THAN YOUR PERFORMANCE BOARD
SURF		BEST IN MOST CONDITIONS UP TO 4'
SKILL		BEGINNER TO ADVANCED



LENGTH	WIDTH	THICK.	VOL.
5'0"	19 1/4"	2 1/8"	22.5L
5'1"	19 3/8"	2 3/16"	23.6L
5'2"	19 1/2"	2 1/4"	24.9L
5'3"	19 5/8"	2 5/16"	26.1L
5'4"	19 3/4"	2 3/8"	27.4L
5'5"	19 7/8"	2 7/16"	28.6L
5'6"	20"	2 1/2"	30.1L
5'7"	20 1/8"	2 1/2"	30.8L
5'8"	20 1/4"	2 9/16"	32.2L
5'9"	19 11/16"	2 3/8"	33L
5'10"	20 1/2"	2 5/8"	34.4L
5'11"	20 5/8"	2 5/8"	35.2L
6'0"	20 3/4"	2 5/8"	36L
6'1"	20 7/8"	2 5/8"	36.8L
6'2"	21"	2 11/16"	38.4L
6'3"	21 1/8"	2 3/4"	40L
6'4"	21 1/2"	2 3/4"	41.4L
6'5"	21 3/4"	2 7/8"	44.1L
6'6"	22"	3"	46.8L

THE SEAHAWK MODEL

A free flowing and smooth surfing twin fin option for quality waves. The single flyer provides release when required and the rounded pin tail engages more rail through the tail when longer lines are needed. The rocker is flat for down the line speed and this board can be ridden in a variety of conditions from small fun days right through to critical, hollow surf in the 6 feet range.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		2 FCS FUTURES
TAIL		SINGLE FLYER ROUNDED PIN
SIZE GUIDE		ORDER 2-4" SHORTER THAN YOUR PERFORMANCE BOARD
SURF		BEST IN LONG WAVES UP TO 6'
SKILL		INTERMEDIATE TO ADVANCED



LENGTH	WIDTH	THICK.	VOL.
4'8"	19 1/2"	2 1/4"	25.2L
4'9"	19 5/8"	2 5/16"	26.5L
4'10"	19 3/4"	2 5/16"	27.2L
4'11"	19 7/8"	2 3/8"	28.6L
5'0"	20"	2 3/8"	29.3L
5'1"	20 1/8"	2 7/16"	30.8L
5'2"	20 1/4 "	2 1/2"	32.3L
5'3"	20 3/8"	2 9/16"	33.9L
5'4"	20 1/2"	2 5/8"	35.4L
5'5"	20 5/8"	2 11/16"	37.5L
5'6"	20 3/4"	2 3/4"	40L
5'7"	20 7/8"	2 7/8"	41L
5'8"	21"	3"	43.5L

THE STILNOX MODEL

The stilnox Q combines the characteristics of 2 classic outlines. We pulled the nose in similar to our traditional fish model the Charger and combined it with a mini Simmons inspired tail. This fish hybrid will surprise you with its ability to hold through turns and deliver modern performance . It's great in the pocket and maintains good flow through the flats with low weight and contemporary materials.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		2 4 FCS FUTURES
TAIL		CHOPPED SQUARE
SIZE GUIDE		ORDER 4 - 6" SHORTER THAN YOUR PERFORMANCE BOARD
SURF		BEST IN LONG POINT WAVES UP TO 4'
SKILL		BEGINNER TO ADVANCED

Zephyr



LENGTH	WIDTH	THICK.	VOL.
5'5"	19 3/8"	2 3/8"	28L
5'6"	19 1/2"	2 3/8"	28.8L
5'7"	19 5/8"	2 7/16"	30.2L
5'8"	19 3/4"	2 1/2"	31.7L
5'9"	19 7/8"	2 1/2"	32.4L
5'10"	20"	2 9/16"	33.9L
5'11"	20 1/8"	2 9/16"	34.7L
6'0"	20 1/4"	2 5/8"	36.4L
6'1"	20 3/8"	2 5/8"	37.2L
6'2"	20 1/2"	2 11/16"	38.8L
6'3"	20 5/8"	2 3/4"	40.5L
6'4"	20 3/4"	2 7/8"	43.2L
6'5"	20 7/8"	2 15/16"	45L
6'6"	21"	3"	46.9L

THE ZEPHYR MODEL

The Zephyr model is influenced by the early 1970's outlines from Hawaii. A few modern twists combined with a flat rocker and diamond rails, the Zephyr comes in a choice of round or diamond tails. Complete with a single fin box it is suited to high line speed trims and classic layback hacks. An essential piece of equipment for every surfers quiver. Custom resin work available upon request.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		SINGLE 2+1 FCS FUTURES
TAIL		ROUND
SIZE GUIDE		ORDER 2-4" SHORTER THAN YOUR PERFORMANCE BOARD
SURF SKILL		BEST IN ALL CONDITIONS UP TO 4' BEGINNER TO ADVANCED



LENGTH	WIDTH	THICK.	VOL.
5'0"	19 1/4"	2 1/8"	22.6L
5'1"	19 3/8"	2 3/16"	23.6L
5'2"	19 1/2"	2 1/4"	24.9L
5'3"	19 5/8"	2 5/16"	26.1L
5'4"	19 3/4"	2 3/8"	27.4L
5'5"	19 7/8"	2 7/16"	28.6L
5'6"	20"	2 1/2"	30.1L
5'7"	20 1/8"	2 1/2"	30.8L
5'8"	20 1/4"	2 9/16"	32.2L
5'9"	20 3/8"	2 9/16"	33L
5'10"	20 1/2"	2 5/8"	34.4L
5'11"	20 5/5"	2 5/8"	35.2L
6'0"	20 3/4"	2 5/8"	36L
6'1"	20 7/8"	2 5/8"	36.8L
6'2"	21"	2 11/16"	38.4L
6'3"	21 1/8"	2 3/4"	40L
6'4"	21 1/2"	2 3/4"	41.4L
6'5"	21 3/4"	2 7/8"	44.1L
6'6"	22"	3"	46.8L

THE THUNDERBIRD MODEL

This is a summer sled with some extra bite for the quality days. The double flyer combined with the OCTO tail provides width yet maintains some bite through turns. It has a mid rail, flatter rocker and a single to double concave with slight vee behind the centre fin. The THUNDERBIRD has been tested in conditions ranging from junky on shore beachies to groomed walls of Indonesia and excels.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		3 5 FCS FUTURES
TAIL		DOUBLE FLYER OCTO TAIL
SIZE GUIDE		ORDER 2-4" SHORTER THAN YOUR PERFORMANCE BOARD
SURF		BEST IN MOST CONDITIONS UP TO 4+
SKILL		BEGINNER TO ADVANCED



LENGTH	WIDTH	THICK.	VOL.
5'0"	19"	2 1/16"	21.2L
5'1"	19 1/8"	2 1/16"	21.7L
5'2"	19 1/4"	2 1/8"	22.9L
5'3"	19 5/16"	2 3/16"	24.1L
5'4"	19 3/8"	2 3/16"	24.5L
5'5"	19 7/16"	2 1/4"	25.7L
5'6"	19 1/2"	2 1/4"	26.2L
5'7"	19 9/16"	2 1/4"	27.4L
5'8"	19 5/8"	2 5/16"	26.1L
5'9"	19 11/16"	2 3/8"	29.2L
5'10"	19 3/4"	2 3/8"	29.8L
5'11"	19 7/8"	2 7/16"	31.1L
6'0"	20"	2 7/16"	31.8L
6'1"	20 1/4"	2 1/2"	33.6L
6'2"	20 1/2"	2 1/2"	34.4L
6'3"	20 5/8"	2 5/8"	36.9L
6'4"	20 3/4"	2 11/16"	38.3L
6'5"	20 7/8"	2 3/4"	39.9L
6'6"	21"	2 7/8"	42.6L

THE CARNY MODEL

Built for speed and tight summer pocket surfing. A fusion between the Crumpet and Actor model it features a fuller outline with a pulled in tail to keep it performance based and not as flat through turns. A deep single to double concave married with a soft rail and flatter rocker will get you up to speed quickly and knifing through the mush all day long.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		3 5 FCS FUTURES
TAIL		ROUNDED SQUARE
SIZE GUIDE		ORDER 2 - 4" SHORTER THAN YOUR PERFORMANCE BOARD
SURF		BEST IN BEACH BREAK WAVES UP TO 4'
SKILL		BEGINNER TO ADVANCED



LENGTH	WIDTH	THICK.	VOL.
5'4"	18"	2 1/16"	20.7L
5'5"	18 1/4"	2 1/8"	21.9L
5'6"	18 3/8"	2 3/16"	23L
5'7"	18 1/2"	2 3/16"	23.6L
5'8"	18 5/8"	2 1/4"	24.8L
5'9"	18 3/4"	2 5/16"	26L
5'10"	18 7/8"	2 3/8"	27.3L
5'11"	19"	2 7/16"	28.6L
6'0"	19 1/8"	2 1/2"	30L
6'1"	19 1/4"	2 9/16"	31.4L
6'2"	19 3/8"	2 5/8"	32.8L
6'3"	19 1/2"	2 11/16"	34.2L
6'4"	19 5/8"	2 3/4"	35.7L
6'5"	19 3/4"	2 13/16"	37.2L
6'6"	19 7/8"	2 7/8"	38.8L

THE SUPERCCELL MODEL

A recently designed performance model, the rail line is a touch fuller and softer than the ACTOR model. This rail is combined with a deeper concave, moved forward to allow for more down the line speed and drive. Nose thickness has been refined a touch and combined with a slight increase in rocker. Tail thickness maintains volume but the outline has been squashed a bit to perform well in critical hollow waves

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		3 5 FCS FUTURES
TAIL		ROUNDED SQUASH
SIZE GUIDE		ORDER TO SUIT YOUR REGULAR PERFORMANCE BOARD
SURF		BEST IN FAST HOLLOW WAVES UP TO 6 - 8'
SKILL		INTERMEDIATE TO ADVANCED




LENGTH	WIDTH	THICK.	VOL.
5'6"	18 5/8"	2 3/16"	23.7L
5'7"	18 3/4"	2 1/4"	24.9L
5'8"	18 7/8"	2 5/16"	26.1L
5'9"	19"	2 3/8"	27.4L
5'10"	19 1/8"	2 7/16"	28.7L
5'11"	19 7/16"	2 1/2"	29.9L
6'0"	19 1/2"	2 9/16"	31.2L
6'1"	19 9/16"	2 5/8"	32.7L

THE X-WING MODEL

Based on our SUPERCELL model, we added a single flyer for release in the pocket and a centre channel for bite and hold through turns and in critical conditions. The bottom contour runs a single concave moved forward for down the line speed and the rail has the same mid soft profile for forgiveness when required. This board lights up when it's pumping and the conditions demand on point performance.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY BIOWRAP™ EPOXY POLYESTER
FINS		3 5 FCS FUTURES
TAIL		SINGLE FLYER SWALLOW WITH CENTRE CHANNEL
SIZE GUIDE		ORDER AS REGULAR PERFORMANCE BOARD
SURF		BEST IN MOST WAVES UP TO 6'
SKILL		INTERMEDIATE TO ADVANCED



LENGTH WIDTH THICK. VOL.

CUSTOM ORDER DIMENSIONS ONLY - TUNED TO SUIT A VARIETY OF CRITICAL CONDITIONS, CUSTOMERS ABILITY + HEIGHT > WEIGHT RATIO.

THE STEP UP MODEL

It's a good quality wave riding weapon - if it's starting to get serious, you will need a STEP UP. It's long and straight in the outline, maintains all the performance characteristics of the SUPERCELL model, with a rounded pin tail for some extra drive. Available in the exclusive DMS PU Carbon wrap technology and also a standard PU format with dims. and lamination to suit customers needs.

TECHNICAL

CORE		AEROBLANK EPS OR BURFORD PU
LAMINATE		CARBON WRAP™ EPOXY PU-WRAP™ EPOXY POLYESTER
FINS		3 5 FCS FUTURES
TAIL		ROUNDED PIN
SIZE GUIDE		CUSTOM ORDER ONLY TO SUIT REQUIRED LENGTH
SURF		BEST IN CRITICAL WAVES UP TO 8' +
SKILL		ADVANCED



carbonwrapsurfboard.com 

[@carbonwraptechnology](https://www.instagram.com/carbonwraptechnology) 

[/carbonwraptechnology](https://www.facebook.com/carbonwraptechnology) 

dmshapes.com 

[@dmshapes](https://www.instagram.com/dmshapes) 

[/dmshapes](https://www.facebook.com/dmshapes) 

info@dmshapes.com 



PU CORE



EPOXY RESIN



UNI CARBON



EPS CORE



BIORESIN



BASALT

DANIEL MACHADO
CRAFT